

## **BOSTIK ULTRA LEVEL PLUS**

Revision Number 1.01

Revision date 18-Apr-2021 Supersedes Date: 24-Sep-2020

Section 1: Identification: Product i	dentifier and chemical identity	
Product identifier		
Product Name	BOSTIK ULTRA LEVEL PLUS	
<b>Product Code(s)</b> 30616841 30616841		
Other means of identification		
Pure substance/mixture	Mixture	
Recommended use of the chemica	I and restrictions on use	
Recommended use	Building and construction work	
Uses advised against	No information available	
Details of manufacturer or importe	<u>er</u>	
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342	Manufacturer Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342	
<b>ABN:</b> 79 003 893 838	ABN: 79 003 893 838	
E-mail address	au-bostik-sds@bostik.com	
Emergency telephone number		
Emergency telephone number	24-hr Emergency: 1800 033 111	
Section 2: Hazard(s) identification		

### **GHS Classification**

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)

### Label elements

Corrosion



**BOSTIK ULTRA LEVEL PLUS** 

Revision Number 1.01

Signal word Danger

### Hazard statements

H315 - Causes skin irritation H318 - Causes serious eye damage

### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse

### Other hazards which do not result in classification

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers

Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease Product dust may be irritating to eyes, skin and respiratory system

Repeated exposure may cause skin dryness or cracking

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

### Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

### Mixture

Chemical name	CAS No	Weight-%
Cement, portland, chemicals (Chromium VI reduced)	65997-15-1	10 - <30
Calcium sulfate	7778-18-9	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures	
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
Description of first aid measures	
General advice	If medical advice is needed, have product container or label at hand.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Do not rub affected area. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
Skin contact	Brush off loose particles from skin. Remove material from skin immediately. Take off contaminated clothing and wash before reuse.

BOSTIK ULTRA LEVEL PLUS Revision Number 1.01	Revision date 18-Apr-2021 Supersedes Date: 24-Sep-2020	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see sectior 8).	
Most important symptoms and eff	ects, both acute and delayed	
Symptoms	Burning sensation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers.	
Indication of any immediate medio	cal attention and special treatment needed	
Note to physicians	Treat symptomatically.	
Section 5: Firefighting measures		
Suitable extinguishing media		
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the	<u>chemical</u>	
Specific hazards arising from the chemical	No information available.	
Hazardous combustion products	Carbon dioxide (CO2). Sulfur oxides. Silicon dioxide.	
Special protective actions for fire-	fighters	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Section 6: Accidental release mea	isures	
Personal precautions, protective	equipment and emergency procedures	
Personal precautions	Avoid generation of dust. Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil.	
Methods and material for contain	nent and cleaning up	
Methods for containment	Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry Prevent dust cloud.	
Methods for cleaning up	Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep	

dust. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep

BOSTIK ULTRA LEVEL PLUS Revision Number 1.01

	up spilled material and place in suitable container. Avoid generating dust.	
Precautions to prevent secondary hazards		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
Section 7: Handling and storage, i	ncluding how the chemical may be safely used	
Precautions for safe handling		
Advice on safe handling	Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Use personal protection equipment. Take off contaminated clothing and wash before reuse.	
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Keep the packing dry and well sealed to prevent contamination and absorption of humidity.	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.	
Section 8: Exposure controls and personal protection		

### **Control parameters**

### **Exposure Limits**

Chemical name	Australia
Cement, portland, chemicals (Chromium VI reduced) 65997-15-1	10 mg/m³ TWA
Calcium sulfate 7778-18-9	10 mg/m³ TWA

OEL as published by Safe Work Australia

### Appropriate engineering controls

Engineering controls	Showers, eyewash stations, and ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Tight sealing safety goggles.	
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.	
Hand protection	Wear suitable gloves. Impervious gloves.	
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Wear a respirator conforming to EN 140 with Type P2/P3 filter or better.	
Environmental exposure controls	No information available.	

## Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

## Physical state

### BOSTIK ULTRA LEVEL PLUS Revision Number 1.01

Appearance	Powder	
Color	Gray	
Odor	Slight	
Odor threshold	No information available	
Property	Values	Remarks • Method
pH	No data available	Romanico Inotriou
pH (as aqueous solution)	No data available	
Melting point / freezing point	Not applicable .	
Initial boiling point and boiling	Not applicable	
range		
Flash point	Not applicable .	
Evaporation rate	Not applicable .	
Flammability	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data avallable	
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	
Relative vapor density	No data available	
Relative density	No data available	
Water solubility	Cement based products react an	ld
	solidify in contact with water	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Decomposition temperature Kinematic viscosity	No data available Not applicable .	
Dynamic viscosity	Not applicable .	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other information		
Softening Point	Not relevant	
Solid content (%) Density	No information available 2.1 (fresh/wet)	
Bulk density	1.3 Kg/L	
VOC Content (%)		rmation available
Section 10: Stability and reactivity		
Section 10. Stability and reactivity		
<u>Reactivity</u>		
Depetivity	Product cures with moisture.	
Reactivity	Product cures with moisture.	
Chemical stability		
- · · · ····		
Stability	Keep away from incompatible ma	aterials. Stable under recommended storage conditions.
Explosion data		
Sensitivity to mechanical	None.	
impact		
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Product cures with moisture.	

### **BOSTIK ULTRA LEVEL PLUS**

Incompatible materials		
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.	
Hazardous decomposition produc	<u>ets</u>	
Hazardous decomposition products	None known based on information supplied.	
Section 11: Toxicological informa	tion	
Acute Toxicity		
Information on likely routes of exposure		
Product Information		
Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. May cause irreversible damage to eyes.	
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms	Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.	

## Numerical measures of toxicity - Product Information

## The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 19,122.40 mg/kg

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Cement, portland, chemicals (Chromium VI reduced)	-	>2000 Kg/mg (Lapin)	>5 g/m³ (Rattus)
Calcium sulfate	>3000 mg/kg (Rattus)	-	CL50 >2.61 mg/L (4h) Rat

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes burns. Causes serious eye damage.
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	No information available.

Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	No information available.
STOT - single exposure	Based on available data, the classification criteria are not met.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Not applicable.

.

## Section 12: Ecological information

### **Ecotoxicity**

## Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium sulfate 7778-18-9	CL50 (72h) >100 mg/L Algae	LC50: =2980mg/L (96h, Lepomis macrochirus) LC50: >1970mg/L (96h, Pimephales promelas)	-	CE50 (48h) >100 mg/L (Daphnia magna)

## Persistence and degradability

Persistence and degradability	No information available.		
Bioaccumulative potential			
Bioaccumulation	No information available.		
<u>Mobility</u>			
Mobility in soil	No information available.		
Mobility	No information available.		
Other Adverse Effects			
Other adverse effects	No information available.		
Section 13: Disposal considerations			
Waste treatment methods			
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do not reuse empty containers.		
Section 14: Transport information			
Section 14: Transport information			
Section 14: Transport information	Not regulated		

### BOSTIK ULTRA LEVEL PLUS Revision Number 1.01

### <u>IMDG</u>

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

### Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

### <u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)No poisons schedule number allocatedPoison Schedule NumberNot applicable

### National pollutant inventory

No substance(s) listed on inventory

International Inventories	
AICS	Listed
NZIoC	Not Listed
ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Not Listed

Legend:

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### 2011/65/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate

BOSTIK ULTRA LEVEL PLUS Revision Number 1.01

(DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information		
Prepared By	Product Safety & Regulatory Affairs	
Revision date	18-Apr-2021	

Revision note SDS sections updated. 3. 11.

Key or legend to abbreviations and acronyms used in the safety data sheet

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

 TWA
 TWA (time-weighted average)

 Ceiling
 Maximum limit value

 C
 Carcinogen

 Section 11: TOXICOLOGICAL INFORMATION

 LD50 (lethal dose)

 Section 12: Ecological information

 EC50 (effective concentration)

STEL (Short Term Exposure Limit) Skin designation

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

STEL

**End of Safety Data Sheet**